

CHEFTOP MIND Maps





Spare parts 4 years / 10.000 hours optional warranty*

CHALLENGE YOURSELF EVERY DAY. THE FIRST INGREDIENT FOR SUCCESS.

Excellence is served.

There is no room for error in professional food service. Unox knows it and provides ovens and services that are designed to meet the most ambitious quality and business challenges.

It is an excellence you recognize at a glance. Made up of the same ingredients that your clients insist on: uncompromised quality, innovative and bold choices, proved and measurable efficiency and reliability.

Investing in innovation means seeing every day challenges in a whole new light: from giving value to every single gesture to the simplification of the entire production process. For you, this means maximum performance, freedom, ease of use and savings. For Unox, inventive simplification.





THE IDEA IN YOUR MIND, THE SOLUTION IN YOUR HANDS.

Sign your cooking process.

Controllable like your hand. Natural as your thoughts. Fast as your glance. This is Unox CHEFTOP MIND.Maps[™], the new line of professional ovens that breaks down the barriers between your idea and the dish you serve. With a gesture.

CHEFTOP MIND.Maps[™] ONE and CHEFTOP MIND.Maps[™] PLUS stand for complete control of the cooking process and maximum creative freedom. Repeatable processes that save time and reduce costs. Outstanding performance in terms of yield, safety and reliability, in the most elegant design.

MIND.Maps[™]. Personality. In a gesture.

With Unox patented MIND.Maps[™] technology your hand is free to design the curves of temperature, humidity and air speed on a visual language display. Today you can truly invent your own cooking process and draw it second by second.

Try Unox MIND.Maps[™]. Add a touch of brilliance to your cooking.







Innovation, quality, ease of use. Unox technologies for CHEFTOP MIND.Maps™.



DRY.Maxi™ Minimum humidity. Maximum flavour.

The patented DRY.Maxi[™] technology rapidly extracts humidity from the cooking chamber and creates the ideal conditions for food that needs to be cooked in a completely dry environment. Oven baked products are soft, crisp and fragrant, grilled and browned meats retain their weight and flavour, vegetables maintain their perfect consistency. You can cook whatever you like, with Unox, quality comes as standard.

AIR.Maxi™ Cooking uniformity. Quality without compromise.

The patented AIR.Maxi[™] technology ensures perfect distribution of the air and therefore of the heat within the cooking chamber. Multiple auto-reversing fans and high speed motors guarantee cooking uniformity in all pans: from those at the bottom of the oven to those at the top. The possibility of choosing from 4 air speeds and 4 semistatic modes allows any type of product to be cooked perfectly, from the most delicate items to products that require high temperatures and a high rate of heat transfer.

CHEFTOP MIND.Maps™ PLUS: 4 air speeds and 4 semi-static modes. CHEFTOP MIND.Maps™ ONE: 2 air speeds and 2 semi-static modes.

ADAPTIVE.Cooking™ Professional cooking. Unmistakable results.

In CHEFTOP MIND.Maps[™] PLUS ovens the patented ADAPTIVE.Cooking[™] technology transforms your oven into an intelligent tool. It understands the results that you have in mind, interprets your settings, registers the variations of humidity and temperature, understands the quantity of food that is in the oven and proposes the best way to get exactly the results that you expect.

By perfecting the cooking time and regulating the combined actions of 3 technologies, DRY.Maxi[™], STEAM.Maxi[™] and AIR.Maxi[™], ADAPTIVE.Cooking[™] always gives you the same perfect result. Exactly as you imagined it.

STEAM.Maxi™ Steam perfection. Simple as a drop of water.

Unox's patented STEAM.Maxi[™] technology carries out every type of steaming process, even the most delicate ones starting from a temperature of 35°C. This result is possible thanks to a production of steam that is up to 3 times superior to that obtained with traditional directinjection ovens when using the same amount of water. The result is identical to, if not even better than that obtained when using a boiler combi oven.

UNOX.Care The value of time. Duration over time.

UNOX.Care products keep your oven clean, protect it over time and reduce any maintenance costs.

The automatic washing system Rotor.KLEAN[™] and DET&Rinse[™] detergent together guarantee perfect hygiene and the ideal long-term upkeep of the oven and its components.

The AUTO.Pure limescale filter, standard on all CHEFTOP MIND.Maps[™] ovens, automatically removes limescale from the water^{*} and means you no longer need to have an external filter.

* Applies to soft and mild water, refer to spec. sheet for further details

CHEFTOP MIND.Maps[™] O N E

You rise to meet every challenge...

DON'T SELECT A COOKING PROGRAM. DRAW YOUR OWN. The MIND.Maps™ visual language technology allows you to achieve even the most elaborate cooking processes with a few simple hand-drawn gestures on the screen.	CHALLENGE 1
MAKE YOUR MASTER TOUCH REPEATABLE. With MIND.Maps™ you can save all your cooking processes and transform them into a patrimony of experience for all of your collaborators to use. Your touch of brilliance can be repeated as many times as you wish, at the touch of a button.	CHALLENGE 2
GRILL, FRY, STEAM, AND SO MUCH MORE. Whatever cooking method you wish to use and whatever level of humidity you need, DRY.Maxi [™] and STEAM.Maxi [™] regulate the humidity within the oven for results of the very highest quality.	CHALLENGE 3
ALWAYS DEMAND MAXIMUM QUALITY, WHATEVER THE LOAD. AIR.Maxi™ technology distributes the air in a perfectly uniform manner. Whatever the load size you always have maximum quality and uniformity, from the lowest to the highest pan.	CHALLENGE 4
WORK IN A SAFE ENVIRONMENT. Protek.SAFE [™] insulation material keeps the external temperature of the oven at a safe working temperature.	CHALLENGE 5
DON'T WASTE YOUR TIME, OR YOUR TEAM'S TIME. AIR.Maxi™ technology reduces the cooking time by up to 40% compared to the previous CHEFTOP [™] ovens. The Rotor.KLEAN [™] automatic washing system together with DET&Rinse [™] detergent leaves you with more free time to take on new challenges in the kitchen.	CHALLENGE 6
GET A FASTER RETURN ON YOUR INVESTMENT BY SAVING ENERGY. The Spido.GAS+™ (only for PLUS models) and Protek.SAFE™ systems increase the efficiency of the cooking process with the double advantage of respect for the environment and reduced running costs.	CHALLENGE 7
DEMAND A RELIABLE AND TIRELESS OVEN. JUST LIKE YOU. Innovative yet dependable technologies combined with robust manufacturing details. Unox does not fear time and allows you to extend your product warranty* up to 4 years or 10.000 hours on-time. (*conditions apply, refer to www.unox.com for further details)	CHALLENGE 8



CHEFTOP MIND.Maps[™] P L U S

... and exceed your own expectations



MASTER.Touch O N E

The power of your creative instincts.



Revolutionary features in an intuitive design. Creative freedom meets precision.



Having innovative technology, reliability and power at your fingertips is not enough.

To really make the difference you need to be able to use your oven straight away, with no hesitation.

With an LCD touch screen interface with 65.000 colors, you have an intuitive visual language control of all of the key processes of your business: from the manual setting of cooking programs and drawing them with second by second precision then saving them to be repeated an infinite number of times, to the management of all complementary equipment.

When the most advanced technology becomes clear you can concentrate on your work right from the very first day.

MASTER.Touch P L U S

The pleasure of being in control.



Advanced features, high speed. Rising to the challenge is easy.

Conversing with an oven that is truly intelligent, that understands the results you are aiming for, monitors any changes in the parameters during the cooking process and suggests the best way to arrive at the perfect result (ADAPTIVE.Cooking™); using the MASTER.Touch pen to draw your cooking process and save your favorite recipes with a name or even freehand with a symbol. Cooking different food at the same time thanks to the MULTI.Time function or using the MISE.EN.PLACE program to have all of your different dishes ready at the same time; accessing the ChefUnox cooking programs at the touch of a button and being able to automatically update them and adapt them in an intuitive way to your needs.

With the PLUS version you have all the technological power of MIND.Maps[™] in an interface that has even more space. A creative experience without limits that you cannot wait to repeat.

MASTER.Touch **O** N E Interface



MASTER.Touch P L U S Interface

CHEFTOP MIND.Maps[™] COMBI OVENS.

A range of excellence.

Alangeore	excellence.										
	GN 2/1			GN 1/1					COMPACT (GN 1/1 & GN 2/3)		
	Citration	CHEFTOP	CHEFTOP	Cherron	CHEFTOP	CHEFTOP	CHEFTOP				
PLUS (ELECTRIC)	XEVC-2021-EPR	XEVC-1021-EPR	XEVC-0621-EPR	XEVC-2011-EPR	XEVC-1011-EPR	XEVC-0711-EPR	XEVC-0511-EPR	r	XECC-0513-EPR		
Capacity	20 GN 2/1	10 GN 2/1	6 GN 2/1	20 GN 1/1	10 GN 1/1	7 GN 1/1	5 GN 1/1		5 GN 1/1		
Pitch	67 mm	80 mm	80 mm	67 mm	67 mm	67 mm	67 mm		67 mm		
Frequency	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz		50 / 60 Hz		
Voltage	400 V ~ 3N	400 V ~ 3N	400 V ~ 3N	400 V ~ 3N	400 V ~ 3N	400 V ~ 3N	400 V ~ 3N		400 V ~ 3N		
Electrical power	51,3 kW	30,8 kW	20,5 kW	35 kW	18,5 kW	11,7 kW	9,3 kW		9,2 kW		
Dimensions (WxDxH mm)	882x1207x1866	860x1120x1163	860x1120x843	882x1207x1866	750x773x1010	750x773x843	750x773x675		535x862x649		
Weight	200 kg	170 kg	160 kg	185 kg	95 kg	85 kg	70 kg		65 kg		
PLUS (GAS)	XEVC-2021-GPR	XEVC-1021-GPR	XEVC-0621-GPR	XEVC-2011-GPR	XEVC-1011-GPR	XEVC-0711-GPR	XEVC-0511-GPR				
Capacity	20 GN 2/1	10 GN 2/1	6 GN 2/1	20 GN 1/1	10 GN 1/1	7 GN 1/1	5 GN 1/1				
Pitch	67 mm	80 mm	80 mm	67 mm	67 mm	67 mm	67 mm				
Frequency	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz				
Voltage	230 V ~ 1N	230 V ~ 1N	230 V ~ 1N	230 V ~ 1N	230 V ~ 1N	230 V ~ 1N	230 V ~ 1N				
Electrical power	1,7 kW	1 kW	0,8 kW	1,6 kW	0,8 kW	0,8 kW	0,5 kW				
Dimensions (WxDxH mm)	G20, G25, G30, G31: 70 kW 882x1207x1866	G20, G25, G30, G31: 35 kW 860x1120x1163	G20, G25, G30, G31: 24 kW 860x1120x843	G20, G25, G30, G31: 35 kW 882x1207x1866	G20, G25, G30, G31: 22 kW 750x773x1010	G20, G25, G30, G31: 19 kW 750x773x843	G20, G25, G30, G31: 15 kW 750x773x675				
Weight	230 kg	190 kg	180 kg	210 kg	110 kg	100 kg	85 kg				
ONE (ELECTRIC)	200 Ng	100 Kg	100 Kg	XEVC-2011-E1R	XEVC-1011-E1R	XEVC-0711-E1R	-	XEVC-0311-E1R	XECC-0523-E1R		
Capacity				20 GN 1/1	10 GN 1/1	7 GN 1/1	5 GN 1/1	3 GN 1/1	5 GN 2/3		
Pitch				67 mm	67 mm	67 mm	67 mm	67 mm	67 mm		
Frequency				50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz		
Voltage				400 V ~ 3N	400 V ~ 3N	400 V ~ 3N	230 V ~ 1N/ 400 V ~ 3N		230 V ~ 1N/ 400 V ~ 3N		
Electrical power				29,3 kW	14 kW	9,9 kW	7 kW	5 kW	5,2 kW		
Dimensions (WxDxH mm)				882x1207x1866	750x773x1010	750x773x843	750x773x675	750x773x538	535x662x649		
Weight				185 kg	95 kg	85 kg	70 kg	50 kg	55 kg		
Note:	Door opening from left to	right: Example of code XEVC-20	21-EPI (I = left) (P= right)	-		ght: Example of code XEVC-10		0	, in the second s		
		- · ·		PLUS PLUS ONE					PLUS PLUS ONE		
FEATURES	Standard Optional	 Not available 		ELECTRIC GAS ELECTRIC					ELECTRIC GAS ELECTRIC		
MANUAL COOKING MODES Convection cooking 30 °C - 260	°C				THERMAL INSULATION AND SA Protek.SAFE™ technology: ma	AFEIX aximum thermal efficiency and work	king safety (cool door glass and	external surfaces)			
Mixed steam and convection coc	oking 35 °C - 260 °C, with STEAM.M					n impeller brake to contain energy lo ectrical power absorbtion related to					
Mixed humidity and convection of Steaming 35 °C - 130 °C with ST	cooking 35 °C - 260 °C, with STEA	M.Maxi™ 10% to 20%			Protek.SAFE™ technology: gas	s power absorbtion related to the re					
Ŭ	vith DRY.Maxi [™] technology 10% to 1	00%			Protek.SAFE™ PLUS: triple gla HIGH PERFORMANCE PRESSU				• • •		
Core probe				•	Spido.GAS [™] technology: suita	ble for G20 / G25 / G25.1 / G30 / G					
Delta T cooking with core probe MULTI.Point core probe	2					performance straight heat exchang ght heat exchanger pipes for an eas		Istribution			
SOUS-VIDE core probe					AUTOMATIC CLEANING	vashing programs with detergent a	nd water presence control				
ADVANCED AND AUTOMATIC CO MIND Maps™ technology: draw c	OKING PROGRAMMING cooking processes made of infinite	steps with one simple touch			Rotor.KLEAN™ : detergent tan		nu water presence control				
PROGRAMS: store up to 256 use	er's programs				PATENTED DOOR	rability and self-lubricating techno-	polymer				
	a name and picture to the stored	programs			Reversible door, even after the	e installation	, or y more				
PROGRAMS: save recipe name by writing it (in any language) Door docking positions at 60°-120°-180° CHEFUNOX: select cooking mode (roast, braise, girll), food to be cooked, food size and cooking result. and start cooking mode (roast, braise, girll)									· · · ·		
MULTI.Time: technology to manage up to 10 timers to cook different products at the same time 🖉 🗖 — Preheating temper						Preheating temperature up to 260 °C In the residual cooking time (when cooking not using the core probe)					
						Holding cooking mode «HOLD»					
AIR.Maxi™ technology: multiple,	reversing fans				Continuous functioning «INF» Visualisation of the set and re		rature cavity temperature bur	idity fan speed			
AIR.Maxi [™] technology: 4 air spec		0		_	Temperature unit in °C or °F						
	AIR.Maxi ^m technology: 4 semi static cooking modes, programmable						TECHNICAL DETAILS Rounded stainless steel (AISI 304) cavity for hygiene and ease of cleaning				
AIR.Maxi [™] technology: 2 semi st		Chamber lighting through ext	hamber lighting through external LED lights								
CLIMA MANAGEMENT IN THE CO DRY.Maxi [™] technology: high perfo		action, programmable by the user			Steam proof sealed MASTER. High-durability carbon fibre d						
DRY.Maxi™ technology: cooking w	DRY.Maxi™ technology: cooking with humidity extraction 30 - 260 °C										
STEAM.Maxi™ technology: steaming 35 °C - 130 °C STEAM Maxi™ technology: combination of moist air and dry air 35 °C, 260 °C											
ADAPTIVE Containing to contact switch											
2-stage safety door lock ADAPTIVE Cooking™ technology: one pan of problems or brake down											
ADAPTIVE.Cooking [™] technology: humidity sensor and automatic adjustment ■ ■ ■ Safety temperature switch DOUBLE STACK COLUMN Openable internal glass to simplify door cleaning											
	ouble-stack oven columns to be cr	eated				rails with notched recesses for easy	loading				







UNOX accessories. The team makes the difference in the kitchen.

Developed for food service professionals, the Unox accessories increase and optimize the functionality of your kitchen, making it a well-equipped and versatile working environment.



Cooking Essentials

The Cooking Essentials pans and grids enrich your oven with new functions, allowing you to reduce costs and save space in the kitchen.

With these accessories, your CHEFTOP MIND.Maps™ can go from grilling to frying without oil, browning to steaming, from pizza to a full load of chickens.



Neutral and technological complementary equipment

The vast range of Unox complementary equipment allows you to take maximum advantage of the available space. You can create a multifunctional and versatile cooking area with open stands of various heights, storage cabinets and complementary equipment. For example, you can choose the SlowTop, a modern static oven that can be used for slow cooking or as a holding cabinet.



Trolleys and baskets

The Unox trolleys and baskets allow you to prepare all the pans or plates to be cooked and load them into the oven in one safe and easy movement.

They are perfect for full loads, reducing the amount of time the door is open and limiting any heat loss to the environment.



Hoods

The ventless hoods clean, remove odours and cool down the fumes that exit from the chimneys. In addition, a suction system draws up the fumes when the door is open, meaning the installation of expensive ceiling hoods is no longer necessary. For electric ovens only.



HACCP & Data Management

The correct application of HACCP procedures in the kitchen can be controlled in a simple and effective manner using the BlackBox function of the UNOX.Link kit. With OVEX.Net[™] 3.0 software you can check via your mobile telephone, at any time, energy consumption data and statistics of all equipment (Near Field Communication).

With CHEFTOP MIND.Maps[™] ovens the management costs are completely under your control.



UNOX.Care

UNOX.Care products keep your oven clean, protect it over time and reduce any maintenance costs. The automatic washing system Rotor.KLEAN[™] and DET&Rinse[™] detergent together guarantee perfect hygiene and the ideal long-term upkeep of the oven and its components.

The AUTO.Pure limescale filter, standard on all CHEFTOP MIND.Maps™ ovens, automatically removes limescale from the water and means you no longer need to have an external filter. For particularly hard or dirty water Unox suggests UNOX.Pure. In the presence of chlorides or other aggressive substances, UNOX.PURE-RO increases the efficiency and the lifespan of the oven thanks to the complete demineralization of the water.



Installation kits

A range of oven installation kits are available for your Unox oven. For example, the first installation kit which includes water drain fittings and U-trap, and the stacking kit which allows you to stack UNOX ovens and accessories on top of each other. Using these accessories allows you have a flawless installation, a necessary prerequisite to extend the optional warranty* to 4 years in the LONG.Life4[™] offer. (*conditions apply, refer to www.unox.com for further details)





Tangible proof of the quality and reliability of CHEFTOP MIND.Maps[™] ovens. Unox offers you the possibility of extending the warranty^{*} on spare parts up to 4 years or 10.000 hours on-time. Activation of the LONG.Life4 warranty is simple. You just need to connect your CHEFTOP MIND.Maps[™] ONE with the dedicated kit and register it on the Unox website. The PLUS models are ready prepared for internet connection (Ethernet) and allow you to register directly from the control panel. Kits for WiFi or 3G connection are available for both models. (*conditions apply, refer to www.unox.com for further details)











INVENTIVE SIMPLIFICATION



INTERNATIONAL

UNOX S.p.A.

Via Majorana 22 / 35010 Cadoneghe (PD) Italy Tel +39 049 8657511 / Fax +39 049 8657555 info@unox.com

EUROPE

ITALY UNOX S.p.A. E-mail: info@unox.it Tel.: +39 049 86 57 513

CZECH REPUBLIC UNOX DISTRIBUTION s.r.o. E-mail: info.cz@unox.com Tel.: +420 241 940 000

GERMANY DUEX HANDELS GMBH E-mail: info@unox-oefen.de Tel.: +49 2951 98760

RUSSIAN COUNTRIES UNOX RUSSIAN COUNTRIES E-mail: info.ru@unox.com Tel.: +7 985 33 77 597 +7 915 397 48 38

FRANCE UNOX FRANCE s.a.s. E-mail: info@unox.fr Tel.: +33 4 78 17 35 39 TURKEY UNOX TURKEY E-mail: info.tr@unox.com Tel.: +90 530 176 62 03

UNITED KINGDOM UNOX UK Ltd E-mail: info@unoxuk.com Tel.: +44 1252 851 522

PORTUGAL UNOX PORTUGAL E-mail: info.pt@unox.com Tel.: +351 918 228 787

SPAIN UNOX PROFESIONAL ESPAÑA S.L. E-mail: info.es@unox.com Tel.: +34 900 82 89 43

SCANDINAVIAN COUNTRIES UNOX SCANDINAVIAN COUNTRIES E-mail: info.se@unox.com Tel.: +46 (0)768 716 422

AMERICA

U.S.A. & CANADA UNOX INC. E-mail: infousa@unox.com Tel.: +1 800 489 8669

ASIA

ASIA PACIFIC COUNTRIES UNOX (ASIA) SDN. BHD E-mail: info.asia@unox.com Tel.: +603-58797700

PHILIPPINES

UNOX PHILIPPINES E-mail: info.asia@unox.com Tel.: +63 998 541 3990

AFRICA

SOUTH AFRICA UNOX SOUTH AFRICA E-mail: info.sa@unox.com Tel.: +27 845 05 52 35 MEXICO UNOX MEXICO E-mail: info.mx@unox.com Tel.: +52 1555 4314 180

REPUBLIC OF SOUTH KOREA UNOX SOUTH KOREA E-mail: info.asia@unox.com Tel.: +82 10 4354 2856

U.A.E. UNOX MIDDLE EAST DMCC E-mail: info.uae@unox.com Tel.: +971 55 426 3167

OCEANIA

AUSTRALIA UNOX AUSTRALIA PTY LTD. E-mail: info@unoxaustralia.com.au Tel.: +61 3 9876 0803 All images used are for illustrative purposes only. All data indicated in this catalogue is subject to change and may be updated without notice



Printed: 04-2015

www.unox.com